COO tech

CLINICAL RESULTS



ADIPOLYSIS ASSISTED BY FAT FREEZING

The applicator draws out the tissue into the handle by creating a vacuum effect that temporally reduces blood flow and facilitates the application of Cryo-adipocytolysis. After this treatment the natural process of fat elimination occurs, reducing unwanted fat via the lymphatic system.

CLINICAL BENEFITS:

- > Non-invasive and pain-free.
- > Visible results after 15 days and optimal after 12 weeks of one **CoolTech®** procedure.
- > The procedure allows the patients to immediately resume their lives.

WE RECOMMEND:

- > Sessions of no less than 70 minutes.
- > 1-3 sessions in the same area every 6-8 weeks.

STUDIES CONDUCTED BY:

- > Dr. José Ramón Vázquez Casas. Doctor of medicine and surgery. Specialist in Intensive Care Medicine.
- Dr. Xavier Sánchez Tarrago.Graduate in medical aesthetics and aging medicine..
- > Dr. Carlos Fajardo Urdiales.
 Graduate in medicine and surgery at the Universidad of Málaga.
- > Dr. Ravi Jain.
 Qualified in medicine from the Royal London Hospital and has held posts at The Royal London, St. Bartholomew's and St. Mary's Hospitals.
- > Dr. Mariano Vélez González. Graduate in medicine and surgery. Graduate in biology and pharmacy.





Female / 25 years 1 session 4 weeks later





AFTER

Courtesy by Carlos Fajardo Urdiales, MD

Female / 62 years 1 session 6 weeks later





AFTER

Courtesy by Xavier Sánchez Tarrago, MD

Male / 26 years 1 session 4 weeks later





BEFORE

AFTER

Courtesy by Xavier Sánchez Tarrago, MD

Female / 32 years 1 session 5 weeks later







AFTER

Courtesy by Xavier Sánchez Tarrago, MD





Male / 34 years 1 session 4 weeks later





AFTER

Courtesy by Xavier Sánchez Tarrago, MD

Male / 31 years 1 session 8 weeks later





BEFORE

AFTER

Courtesy by Mariano Vélez González, MD

Male / 26 years 1 session 4 weeks later





AFTER

Courtesy by Xavier Sánchez Tarrago, MD

Female / 25 years 1 session 4 weeks later





AFTER

Courtesy by Xavier Sánchez Tarrago, MD





Female / 32 years 1 session 4 weeks later





AFTER

Courtesy by Carlos Fajardo Urdiales, MD

Female / 45 years 2 session 6 weeks later





BEFORE

AFTER

Courtesy by José Ramón Vázquez Casas, MD

Male / 29 years 1 session 3 weeks later





BEFORE

AFTER

Courtesy by Xavier Sánchez Tarrago, MD







AFTER

Courtesy by Xavier Sánchez Tarrago, MD





Female / 33 years 2 sessions 6 weeks later





AFTER

Courtesy by José Ramón Vázquez Casas, MD

Female / 26 years 2 sessions 6 weeks later





BEFORE

AFTER

Courtesy by José Ramón Vázquez Casas, MD


Female / 28 years 1 session 4 weeks later





AFTER

Male / 55 years 2 sessions 8 weeks later



115 cm BEFORE



109,5 cm AFTER

Courtesy by Dr. Ravi Jain, MD





Female / 44 years 1 sesion 7 weeks later




Thigh circumference 59,9 cm BEFORE



53,5 cm AFTER

Courtesy by Ravi Jain, MD

Male / 41 years 1 session 8 weeks later



Abdomen circumference 104 cm BEFORE



100 cm AFTER

Courtesy by Ravi Jain, MD

Female / 44 years 1 session 12 weeks later





AFTER

Courtesy by Ravi Jain, MD

Female / 48 years 1 session 4 weeks later






AFTER

Courtesy by Ravi Jain, MD





Female / 29 years 1 session 4 weeks later



Abdomen circumference 91 cm BEFORE



84 cm AFTER

Courtesy by Kraft Medical

Female / 35 years 1 session 6 weeks later



BEFORE



AFTER

Courtesy by Kraft Medical

Female / 38 years 2 sessions 6 weeks later





AFTER

Courtesy by Kraft Medical

Female / 40 years 2 sessions 6 weeks later





AFTER

Courtesy by Kraft Medical





Male / 50 years 2 sessions 6 weeks later





AFTER

Courtesy by Kraft Medical

Female / 51 years 2 sessions 8 weeks later







82 cm AFTER

Courtesy by Kraft Medical











